EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	311	703/24.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/09/15 14:47
L4	806	trace$1 and packet$4 and compress$4 and (emulation or debug) and ((integrated adj circuit) or processor or chip)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/09/15 15:56
L5	158	swoboda.in. and gary.in.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/09/15 16:11
L7	15	L5 and (emulation and sequence and process$3).clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/09/15 16:29
L8	477	714/45.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/09/15 16:57
L9	360	703/26.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/09/15 16:57

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	80	(emulation and sequence and process$3).clm.	US-PGPUB	OR	OFF	2006/09/15 17:48
L3	3	"6912675".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/09/15 18:00

IEEE Xplore® RELEASE 2.1

☐ **Search Results**　　　　　**BROWSE**　　　　**SEARCH**　　　**IEEE XPLORE GUIDE**　　　**SUPPORT**

Results for "((trace <near> compress*<and>debug*)) <and> (pyr >= 1951 <and> pyr <= ..."　　☑e-mail 🖨 printer friendly
Your search matched **157** of **1408155** documents.
A maximum of **250** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

🗒 Indicates full text access

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((trace <near> compress*<and>debug*)) <and> (pyr >= 1951 <and> pyr <= 2001)　　**Search >**

☐ Check to search only within this results set

Display Format:　　◉ Citation　　○ Citation & Abstract

view selected Items　　**Select All Deselect All**　　View: **1-25** | 26-50 | 51-75 | 76-100 | 101-125
| Next >

☐ **1. Efficient program tracing**
Larus, J.R.;
Computer
Volume 26, Issue 5, May 1993 Page(s):52 - 61
Digital Object Identifier 10.1109/2.211900
Abstract | Full Text: PDF(1732 KB)　IEEE JNL
Rights and Permissions

☐ **2. Environment for PowerPC microarchitecture exploration**
Moudgill, M.; Wellman, J.-D.; Moreno, J.H.;
Micro, IEEE
Volume 19, Issue 3, May-June 1999 Page(s):15 - 25
Digital Object Identifier 10.1109/40.768496
Abstract | Full Text: PDF(1948 KB)　IEEE JNL
Rights and Permissions

☐ **3. Subject Index**
Computers, IEEE Transactions on
Volume 50, Issue 12, Dec. 2001 Page(s):1380 - 1388
Digital Object Identifier 10.1109/TC.2001.970577
Abstract | Full Text: PDF(70 KB)　IEEE JNL
Rights and Permissions

☐ **4. Exploiting image processing locality in cache pre-fetching**
Cucchiara, R.; Piccardi, M.;
High Performance Computing, 1998. HIPC '98. 5th International Conference On
17-20 Dec. 1998 Page(s):466 - 472
Digital Object Identifier 10.1109/HIPC.1998.738023
Abstract | Full Text: PDF(124 KB)　IEEE CNF
Rights and Permissions

☐ **5. The Motorola PowerPC™ PEEK profiler**
Stewart, K.; Butt, F.; Sarkisian, D.; Breternitz, M., Jr.;
Performance, Computing, and Communications Conference, 1997. IPCCC 1997., IEEE International
5-7 Feb. 1997 Page(s):342 - 349
Digital Object Identifier 10.1109/PCCC.1997.581537
Abstract | Full Text: PDF(824 KB)　IEEE CNF
Rights and Permissions

☐ **6. Visualizing Hilbert curves**
Max, N.;
Visualization '98. Proceedings

IEEE *Xplore* ®
RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ **Search Results**

BROWSE   **SEARCH**   **IEEE XPLORE GUIDE**   **SUPPORT**

Results for "(trace <near> compress*) <and> (pyr >= 1951 <and> pyr <= 2001)"
Your search matched **4482** of **1408155** documents.
A maximum of **250** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

✉ e-mail   🖶 printer friendly

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(trace <near> compress*) <and> (pyr >= 1951 <and> pyr <= 2001)   [**Search** ❯]

☐ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

[**view selected items**]   **Select All Deselect All**

View: **1-25** | 26-50 | 51-75 | 76-100 | 101-125
| Next >

☐ 1. **Accurate low-cost methods for performance evaluation of cache memory systems**
Laha, S.; Patel, J.H.; Iyer, R.K.;
Computers, IEEE Transactions on
Volume 37, Issue 11, Nov. 1988 Page(s):1325 - 1336
Digital Object Identifier 10.1109/12.8699

AbstractPlus | Full Text: PDF(944 KB)   **IEEE JNL**
Rights and Permissions

☐ 2. **Address tracing for parallel machines**
Stunkel, C.B.; Janssens, B.; Fuchs, W.K.;
Computer
Volume 24, Issue 1, Jan. 1991 Page(s):31 - 38
Digital Object Identifier 10.1109/2.67191

AbstractPlus | Full Text: PDF(628 KB)   **IEEE JNL**
Rights and Permissions

☐ 3. **Efficient program tracing**
Larus, J.R.;
Computer
Volume 26, Issue 5, May 1993 Page(s):52 - 61
Digital Object Identifier 10.1109/2.211900

AbstractPlus | Full Text: PDF(1732 KB)   **IEEE JNL**
Rights and Permissions

☐ 4. **Stack evaluation of arbitrary set-associative multiprocessor caches**
Yuguang Wu; Muntz, R.;
Parallel and Distributed Systems, IEEE Transactions on
Volume 6, Issue 9, Sept. 1995 Page(s):930 - 942
Digital Object Identifier 10.1109/71.466631

AbstractPlus | References | Full Text: PDF(1240 KB)   **IEEE JNL**
Rights and Permissions

☐ 5. **Locality as a visualization tool**
Grimsrud, K.; Archibald, J.; Frost, R.; Nelson, B.;
Computers, IEEE Transactions on
Volume 45, Issue 11, Nov. 1996 Page(s):1319 - 1326
Digital Object Identifier 10.1109/12.544490

AbstractPlus | References | Full Text: PDF(912 KB)   **IEEE JNL**
Rights and Permissions

☐ 6. **Compression-based program characterization for improving cache memory performance**
Phalke, V.; Gopinath, B.;
Computers, IEEE Transactions on

Google

Scholar BETA

trace compression | 1951 - 2001 | Search |

Scholar All articles <u>Recent articles</u>　　　　Results **1 - 10** of about **27,600** for <u>trace</u> <u>compression</u> . (**0.07** seconds)

All Results

<u>E Johnson</u>

<u>D Knuth</u>

<u>R Fork</u>

<u>J Ha</u>

<u>C Cruz</u>

<u>PDATS Lossless Address **Trace Compression** For Reducing File Size And Access Time - group of 3 »</u>
EE Johnson, J Ha - Computers and Communications, 1994. IEEE 13th Annual ..., 1994 - ieeexplore.ieee.org
Page 1 0-7803-1814-5/94 $4.00 © 1994 IEEE 213 POATS Lossless Address **Trace Compression**
For Reducing File Size And Access Time Eric E. Johnson and Jiheng Ha ...
<u>Cited by 45</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Address **trace compression** through loop detection and reduction - group of 2 »</u>
EN Elnozahy - ACM SIGMETRICS Performance Evaluation Review, 1999 - portal.acm.org
Page 1. Address **Trace Compression** Through Loop Detection and Reduction EN
Elnozahy IBM Austin Research Lab 11400 Burnet Rd. Austin ...
<u>Cited by 16</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Lossless **Trace Compression** - group of 3 »</u>
EE Johnson, J Ha, MB Zaidi - IEEE Transactions on Computers, 2001 - csdl.computer.org
... In this paper, we discuss a range of information-lossless address and instruction
trace compression schemes that can reduce both storage space and access time ...
<u>Cited by 14</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>PDATS II: improved **compression** of address traces - group of 4 »</u>
EE Johnson - Performance, Computing and Communications Conference, 1999. ..., 1999 -
ieeexplore.ieee.org
... The PDATS family of **trace compression** techniques achieves **trace** coding densities
of about six references per byte - ... 2. PDATS address **trace compression** ...
<u>Cited by 9</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>Dynamic Huffman coding - group of 2 »</u>
DE Knuth - Journal of Algorithms, 1985 - portal.acm.org
... Martin Burtscher, VPC3: a fast and effective **trace-compression** algorithm, ACM
SIGMETRICS Performance Evaluation Review, v.32 n.1, June 2004. ...
<u>Cited by 129</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>**Compression** of optical pulses to six femtoseconds by using cubic phase compensation - group of 5 »</u>
RL Fork, CHB Cruz, PC Becker, CV Shank - Opt. Lett, 1987 - OSA
... in the same paper that the principal remaining problem in pulse **compression** of large ...
position of the peak relative to the horizontal axis for each **trace** is a ...
<u>Cited by 327</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>Mache: no-loss **trace** compaction - group of 3 »</u>
AD Samples - ACM SIGMETRICS Performance Evaluation Review, 1989 - portal.acm.org
... This technique is unlike previously reported **trace compression** techniques in that
it compresses without loss of information and, therefore, does not affect ...
<u>Cited by 54</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>Library Search</u>

<u>Abstract execution: a technique for efficiently tracing programs - group of 2 »</u>
JR Larus - Software—Practice & Experience, 1990 - portal.acm.org
... Martin Burtscher, VPC3: a fast and effective **trace-compression** algorithm, ACM
SIGMETRICS Performance Evaluation Review, v.32 n.1, June 2004. ...
<u>Cited by 100</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>Library Search</u>

<u>**Compression** of high-energy laser pulses below 5 fs - group of 8 »</u>
M Nisoli, S De Silvestri, O Svelto, R Szipocs, K ... - Opt. Lett, 1997 - OSA
... 7 By best **compression** of the pulse whose spectrum is shown in Fig. 2(a), we

Scholar All articles Recent articles   Results **1 - 10** of about **845** for **trace compression debug**. (0.12 seconds)

Abstract execution: a technique for efficiently tracing programs - group of 2 »
JR Larus - Software—Practice & Experience, 1990 - portal.acm.org
... Ramakrishnan Rajamony , Alan L. Cox, Performance **debugging** shared memory parallel ...
Martin Burtscher, VPC3: a fast and effective **trace-compression** algorithm, ACM ...
Cited by 100 - Related Articles - Web Search - Library Search

[PS] Developing Monitoring and Debugging Tools for the AP1000 Array Multiprocessor - group of 4 »
CW Johnson, PB Thistlewaite, D Walsh, M Zellner - Proceedings of the Second Fujitsu-ANU CAP Workshop, RP Brent ..., 1991 -
cs.anu.edu.au
... in the extended **trace** format, which includes a ... The replay **debugger** allows the programmer
to investigate ... display-variables level of **debugging**, while simulating ...
Cited by 2 - Related Articles - View as HTML - Web Search

Trace-driven memory simulation: a survey - group of 11 »
RA Uhlig, TN Mudge - ACM Computing Surveys (CSUR), 1997 - portal.acm.org
Page 1. **Trace**-Driven Memory Simulation: A Survey ... Although conceptually simple, a
number of factors make **trace**-driven simulation difficult in practice. ...
Cited by 157 - Related Articles - Web Search - BL Direct

Efficient Tracing for On-the-Fly Space-Time Displays in a Debugger for Message Passing Programs - group of 4 »
R Hood, G Matthews - Proceedings of the 1st International Symposium on Cluster ..., 2001 - doi.ieeecomputersociety.org
... message passing library, and gdb **debugger** process controlling it through which p2d2
debugging commands are issued [5]. The **trace compression** described in ...
Cited by 1 - Related Articles - Web Search

Event and state-based debugging in TAU: a prototype - group of 6 »
S Shende, J Cuny, L Hansen, J Kundu, S McLaughry, ... - Proceedings of the SIGMETRICS symposium on Parallel and ..., 1996
- portal.acm.org
... the use of Ariadne and the extended modeling language, we **debug** a parallel version
of an ... **compression**. ... user-defined events USERMERGE and USERNOMERGE to **trace** ...
Cited by 15 - Related Articles - Web Search

Efficient tracing for on-the-fly space-time displays in a debuggerfor message passing programs
R Hood, G Matthews - Cluster Computing and the Grid, 2001. Proceedings. First ..., 2001 - ieeexplore.ieee.org
... message passing library, and gdb **debugger** process -controlling it through which
p2d2 **debugging** commands are issued [SI. The **trace compression** described in ...
Related Articles - Web Search

[PS] Debugging Haskell by observing intermediate data structures - group of 6 »
A Gill - Electronic Notes in Theoretical Computer Science, 2000 - cse.ogi.edu
... A stack **trace** becomes a parent tree. ... Should the **debugger** do extra evaluations? ... This
argu- ment can be considered a generalization of the "**debugging** via dataflow ...
Cited by 43 - Related Articles - View as HTML - Web Search

[BOOK] Input/output behavior of supercomputing applications - group of 18 »
EL Miller, RH Katz - 1991 - ACM Press New York, NY, USA
... on the Cray Y-MP. We chose to **trace** applications with high 1/0 rates, both
in megabytes per second and accesses per second. While ...
Cited by 71 - Related Articles - Web Search - Library Search

Cyclic Debugging Using Execution Replay - group of 5 »
M Ronsse, M Christiaens, K De Bosschere - Proceedings of the International Conference on Computational ..., 2001 - Springer
... If one wants to **debug** such a program, it is sufficient ... allows for the use of a sim-
ple **compression** scheme [RLB95] which can further reduce the **trace** files ...

Scholar All articles <u>Recent articles</u>   Results **1 - 10** of about **845** for <u>trace compression debugging</u>. (0.10 seconds)

All Results

<u>J Larus</u>

<u>R Uhlig</u>

<u>T Mudge</u>

<u>S Shende</u>

<u>T Chilimbi</u>

<u>Abstract execution: a technique for efficiently tracing programs</u> - <u>group of 2 »</u>
JR Larus - Software—Practice & Experience, 1990 - portal.acm.org
... Ramakrishnan Rajamony , Alan L. Cox, Performance **debugging** shared memory parallel ...
Martin Burtscher, VPC3: a fast and effective **trace-compression** algorithm, ACM ...
<u>Cited by 100</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>Library Search</u>

[PS] <u>Developing Monitoring and **Debugging** Tools for the AP1000 Array Multiprocessor</u> -
<u>group of 4 »</u>
CW Johnson, PB Thistlewaite, D Walsh, M Zellner - Proceedings of the Second Fujitsu-ANU CAP Workshop,
RP Brent ..., 1991 - cs.anu.edu.au
... Two variants of LERP **trace** format allow complete traces (including message contents -
allowing process replay and detailed **debugging**) and abbreviated traces ...
<u>Cited by 2</u> - <u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>

<u>Designing a **trace** format for heap allocation events</u> - <u>group of 10 »</u>
T Chilimbi, R Jones, B Zorn - ACM SIGPLAN Notices, 2001 - portal.acm.org
... Further, separation and **compression** of the address stream ... compressing different streams
of a **trace** is directly ... a part of the heap), **debugging**, profiling and so ...
<u>Cited by 12</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>**Trace**-driven memory simulation: a survey</u> - <u>group of 11 »</u>
RA Uhlig, TN Mudge - ACM Computing Surveys (CSUR), 1997 - portal.acm.org
Page 1. **Trace**-Driven Memory Simulation: A Survey ... Although conceptually simple, a
number of factors make **trace**-driven simulation difficult in practice. ...
<u>Cited by 157</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Efficient Tracing for On-the-Fly Space-Time Displays in a Debugger for Message Passing
Programs</u> - <u>group of 4 »</u>
R Hood, G Matthews - Proceedings of the 1st International Symposium on Cluster ..., 2001 -
doi.ieeecomputersociety.org
... Software developers who need to **debug** message- passing programs ... it through which
p2d2 **debugging** commands are issued [5]. The **trace compression** described in ...
<u>Cited by 1</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>Event and state-based **debugging** in TAU: a prototype</u> - <u>group of 6 »</u>
S Shende, J Cuny, L Hansen, J Kundu, S McLaughry, ... - Proceedings of the SIGMETRICS symposium on
Parallel and ..., 1996 - portal.acm.org
... its **compression**. To begin **debugging** this program with Ariadne, we added
user-defined events USERMERGE and USERNOMERGE to **trace** the ...
<u>Cited by 15</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>Efficient tracing for on-the-fly space-time displays in a debuggerfor message passing
programs</u>
R Hood, G Matthews - Cluster Computing and the Grid, 2001. Proceedings. First ..., 2001 -
ieeexplore.ieee.org
... Software developers who need to **debug** message- passing ... it through which p2d2 **debugging**
commands are ... The **trace compression** described in section 2.3 is performed ...
<u>Related Articles</u> - <u>Web Search</u>

[PS] <u>**Debugging** Haskell by observing intermediate data structures</u> - <u>group of 6 »</u>
A Gill - Electronic Notes in Theoretical Computer Science, 2000 - cse.ogi.edu
... **debugging** an imperative program using traditional **debug**- ging technology ... to provide
the user with **debugging** facilities do ... A stack **trace** becomes a parent tree. ...
<u>Cited by 43</u> - <u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>